Advertisers Index

Advertising Department Staff

Joe Bottiglieri, AA1GW, Accounts Manager Carol Patton, KB1GAT, Advertising Traffic Coordinator

1-800-243-7768

Direct Line: 860-594-0207 ■ Fax: 860-594-4285 ■ e-mail: ads@arrl.org ■ Web: www.arrl.org/ads

Advanced Specialties:	911
Aluma Tower Company/CGA Enterprises:	911
ARRL:	905
Array Solutions:	910
Autek Research:	909
CABLE X-PERTS:	913
Cal-Av Labs:	907
DX Engineering:	905
EZ Hang:	
Ham Radio Outlet: Cover II, Cover	
Hi-Q-Antennas:	906
Hy-Gain:	901
IIX Equipment Ltd:	912
MFJ Enterprises:	900
N4XM, XMatch Antenna Tuners:	911
Palstar:	902
SGC:	903
Spi-Ro Manufacturing:	912
SteppIR Antenna Systems:	908
Teri Software:	
Texas Towers:	904
The Mast Company:	909
Traffie Technology:	909
Unadilla Antenna Manufacturing:	911
Universal Radio:	912
W3FF Antennas:	
W7FG True Ladder Line:	
Zapchecker/Alan Broadband:	910

If your company provides products or services of interest to our readers, please contact the ARRL Advertising Department today for information on building your business.

MFJ 1.8-170 MHz SWR AnalyzerTM Reads complex impedance... Super easy-to-use New MFJ-259B reads antenna SWR... Complex RF Impedance: Resistance(R) and

Reactance(X) or Magnitude(Z) and Phase(degrees) . . . Coax cable loss(dB) . . . Coax cable length and Distance to fault . . . Return Loss . . . Reflection Coefficient . . . Inductance . . . Capacitance . . . Battery Voltage. LCD digital readout . . . covers 1.8-170 MHz . . . built-in frequency counter . . . side-by-side meters . . . Ni-Cad charger circuit . . . battery saver . . . low battery warning . . . smooth reduction drive tuning . . . and much more!

The world's most popular SWR analyzer just got incredibly better and gives you more value than ever!

MFJ-259B gives you a complete picture of your antenna's performance. You can read antenna SWR and Complex Impedance from 1.8 to 170 MHz.
You can read Complex Impedance

as series resistance and reactance (R+jX)or as magnitude (Z) and phase (degrees).

You can determine velocity factor, coax cable loss in dB, length of coax and distance to a short or open in feet.

You can read SWR, return loss and

reflection coefficient at any frequency simultaneously at a single glance.

You can also read inductance in uH and capacitance in pF at RF frequencies.

Large easy-to-read two line LCD screen and side-by-side meters clearly display your information.

It has built-in frequency counter, Ni-Cad charger circuit, battery saver, low battery warning and smooth reduction drive tuning.

Super easy to use! Just set the bandswitch and tune the dial -- just like your transceiver. SWR and Complex Impedance are displayed instantly!

Here's what you can do

Find your antenna's true resonant frequency. Trim dipoles and verticals.

quency. Trim dipoles and verticals.

Adjust your Yagi, quad, loop and other antennas, change antenna spacing and height and watch SWR, resistance and reactance change instantly. You'll know exactly what to do by simply watching the display.

Perfectly tune critical HF mobile antennas in seconds for super DX -- without subjecting your transceiver to high SWR

jecting your transceiver to high SWR

Measure your antenna's 2:1 SWR bandwidth on one band, or analyze multiband per-formance over the entire spectrum 1.8-170 MHz! Check SWR outside the ham bands with-

out violating FCC rules.

Take the guesswork out of building and adjusting matching networks and baluns.

Accurately measure distance to a short or open in a failed coax. Measure length of a roll

of coax, coax loss, velocity factor and impedance.

Measure inductance and capacitance.

Troubleshoot and measure resonant frequency and approximate Q of traps, stubs, transmission lines, RF chokes, tuned circuits and baluns.

Adjust your antenna tuner for a perfect 1:1 match without creating QRM.

And this is only the beginning! The

Call your favorite

dealer for your best price!

MFI-259B

MFJ-259B is a complete ham radio test station including -- frequency counter, RF signal generator, SWR AnalyzerTM, RF Resistance and Reactance Analyzer, Coax Analyzer, Capacitance and Inductance Meter and much more

Call or write for **Free Manual** MFJ's comprehensive instruction manual is packed with useful applications -- all explained in simple language you can understand.

Take it anywhere

Fully portable, take it anywhere -- remote sites, up towers, on DX-peditions. It uses 10 AA or Ni-Cad batteries (not included) or 110 VAC with MFJ-1312D, \$14.95. Its rugged all metal cabinet is a compact 4x2x6³/₄ inches.

How good is the MFJ-259B?

MFJ SWR $Analyzers^{TM}$ work so good, many antenna manufacturers use them in their lab and on the production line -- saving thousands of dollars in instrumentation costs Used worldwide by professionals everywhere.

More MFJ SWR Analyzers™

MFJ-249B, \$229.95. Like MFJ-259B, but reads SWR, true impedance magnitude and frequency only on LCD. No meters.

MFJ-224 *159° MFJ 2 Meter FM SignalAnalyzerTM

Measure signal strength over 60 dB range, check and set FM deviation, measure antenna gain, beamwidth, front-to-back ratio, sidelobes, feedline loss in dB. Plot field strength patterns, position antennas, measure preamp gain,

detect feedline faults, track down hidden transmitters, tune transmitters and filters. Plug in scope to analyze modulation wave forms, measure audio distortion, noise and instantaneous peak deviation. Covers 143.5 to 148.5 MHz. Headphone jack, battery check function. Uses 9V battery. 4x2¹/₂x6³/₄ in.

MFJ-209, \$139.95. Like MFJ-249B but reads SWR only on meter and has no LCD or

MFJ-219B, \$99.95. UHF SWR Analyzer™ covers 420-450 MHz. Jack for external frequency counter. 7¹/₂x2¹/₂ x2¹/₄ inches. Use two 9 volt batteries or 110 VAC with MFJ-1312D, \$14.95. Free 'N" to SO-239 adapter.

SWR Analyzer Accessories Dip Meter Adapter

> MFJ-66, \$19.95. Plug a dip meter coupling coil into your MFJ SWR Analyzer™ and turn it into a sensitive and accurate bandswitched dip meter. Save time and take the guesswork out of winding coils and determining

resonant frequency of tuned circuits and Q of coils. Set of two coils cover 1.8-170 MHz depending on your SWR Analyzer^{TN}

> Genuine MFJ Carrying Case MFJ-29C, \$24.95. Tote your MFJ-259B anywhere with this *genuine* MFJ custom carrying case. Has back pocket with security cover for carrying dip coils, adaptors and accessories.

Made of special foam-filled fabric, the MFJ-29C cushions

blows, deflects scrapes, and protects knobs, meters and displays from harm.

Wear it around your waist, over your shoulder, or clip it onto the tower while you work -- the fully-adjustable webbed-fabric car-

rying strap has snap hooks on both ends.

Has clear protective window for frequency display and cutouts for knobs and connectors so you can use your MFJ SWR AnalyzerTM without taking it out of your case. Look for the MET look for sequing authenticity!

the MFJ logo for genuine authenticity!

MFJ-99, \$54.85. Accessory Package for
MFJ-259/B/249/B/209. Includes genuine
MFJ-29C carrying case, MFJ-66 dip meter
adapter, MFJ-1312D 110Vac adapter. Save \$5!

New!

. . m

E.72

Tunable Measurement FilterTM MFJ-731, \$89.95. Exclusive MFJ tunable RF filter allows accurate SWR and impedance measurements 1.8 to 30 MHz in presence of strong RF fields. Has virtually no effect on measurements. Works with all SWR Analyzers.

MFJ No Matter WhatTM warranty **MFJ** will repair or replace (at our option) your MFJ SWR AnalyzerTM for one full year.

Free MFJ Catalog
Nearest Dealer . . . 800-647-1800

http://www.mfjenterprises.com • 1 Year No Matter What™ warranty • 30 day money back guarantee (less s/h) on orders from MFJ

e (less s/h) on orders from MFJ MFJ ENTERPRISES, INC. Box 494, Miss. State, MS 39762 (662) 323-5869; 8-4:30 CST, Mon.-Fri. FAX: (662) 323-6551; Add s/h Tech Help: (662) 323-0549 ons subject to change. (c) 2000 MFJ Enterprises, Inc.

More hams use MFJ SWR AnalyzersTM than any others in the world!

hy-gain HF VERTICALS..

Self-supporting -- no guys required . . . Remarkable DX performance -- low angle radiation, omnidirectional . . . Handles 1500 Watts . . . Low SWR . . . Automatic band switching . . . Aircraft quality aluminum tubing . . . Stainless steel hardware . . . Recessed SO-239 connector . . . Two year limited Warranty . . .

Free Manuals! AV-18VS \$7495

Classics All hy-gain multi-band vertical

antennas are entirely self supporting -- no guys required.

They offer remarkable DX performance with their extremely low angle of radiation and omnidirectional pattern.

All handle 1500 Watts PEP SSB, have low SWR, automatic bandswitching (except AV-18VS) and include a 12-inch heavy duty mast support bracket (except AV-18HT).

Heavy duty, slotted, tapered swaged, aircraft quality aluminum tubing with full circumference

compression clamps is used for radiators. Includes all stainless steel hardware. Recessed SO-239 prevents moisture damage. Hy-gain verticals go up easily with just hand tools and their cost is surprisingly low. Two year limited warranty.

AV-18HT, \$739.95. (10, 12, 15, 20, 40, 80 Meters, 160 Meters optional). 53 ft., 114 lbs.

Standing 53 feet tall, the famous *Hy-Gain* HyTower is the world's best performing vertical! The AV-18HT features automatic band selection achieved through a unique stubdecoupling system which effectively isolates various sections of the antenna so that an electrical 1/4 wavelength (or odd multiple of a 1/4 wavelength) exists on all bands.

Approximately 250 kHz bandwidth at 2:1 VSWR on 80 Meters. With the addition of a base loading coil (LC-160Q, \$99.95), it also provides exceptional 160 Meter performance.

The 24 foot tower is all rugged, hot-dip galvanized steel and all hardware is iridited for corrosion resistance. Special tilt-over hinged base for easy raising and lowering.

AV-14AVQ, \$159.95. (10,15,20,40 Meters). 18 ft., 9 lbs. The Hy-Gain AV-14AVQ uses the same trap design as the famous Hy-Gain Thunderbird beams. Three separate air dielectric Hy-Q traps with oversize coils give superb stability and 1/4 wave resonance on all bands. Roof mount with Hy-Gain AV-14RMQ kit, \$79.95.

AV-12AVQ, \$114.95. (10, 15, 20 Meters). 13 ft., 9 lbs. The AV-12AVQ also uses Thunderbird beam design air dielectric traps for extremely Hy-Q performance. This is the way to go for inexpensive tri-band performance in limited space. Roof mount with AV-14RMQ kit, \$79.95.

AV-18VS, \$74.95. (10,12,15,17,20,30,40,80 Meters). 18 ft., 4 lbs. High quality construction and low cost make the AV-18VS an exceptional value. Easily tuned to any band by adjusting feed point at the base loading coil. Roof mount with Hy-Gain AV-14RMQ kit, \$79.95.

DX-88, \$349.95. (10, 12, 15,17,20,30,40,80 Meters, 160 Meters optional). 25 ft., 18 lbs. All bands are easily tuned with the DX-88's exclusive adjustable capacitors. 80 and 40 Meters can even be tuned from the ground without having to lower the antenna. Super heavy-duty construction. DX-88 OPTIONS: 160 Meter add-on kit, KIT-160-88, \$179.95. Ground Radial System, GRK-88, \$81.95. Roof Radial System, RRK-88, \$89.95.

DX-77A, \$429.95. (10, 12, 15, 17, 20, 30, 40 Meters). 29 ft., 25 lbs. No ground radials required! Off-center-fed Windom has 55% greater bandwidth than competitive verticals. Heavy-duty tiltable base. Each band independently tunable.

Model #	Price	Bands	Max Power	Height	Weight	Wind Surv.	Rec. Mast
AV-18HT	\$739.95	10,15,20,40,80	1500 W PEP	53 feet	114 pounds	75 MPH	
AV-14AVQ	\$159.95	10,15,20,40	1500 W PEP	18 feet	9 pounds	80 MPH	1.5-1.625"
AV-12AVQ	\$114.95	10/15/20 M	1500 W PEP	13 feet	9 pounds	80 MPH	1.5-1.625"
AV-18VS	\$74.95	10 - 80 M	1500 W PEP	18 feet	4 pounds	80 MPH	1.5-1.625"
DX-88	\$349.95	10 - 40 M	1500 W PEP	25 feet	18 pounds	75 mph no guy	1.5-1.625"
DX-77A	\$429.95	10 - 80 M	1500 W PEP	29 feet	25 pounds	60 mph no guy	1.5-1.625"

hy-gain^R

Hy-Gain's new PATRIOT HF verticals are the best built, best performing and best priced multiband verticals available today. For exciting DX make full use of your sunspot cycle with the PATRIOT's low 17 degree angle signal.

No ground or radials needed **Effective** counterpoise replaces radials and ground. Automatic bandswitching Single coax cable feed. Each band is individually tunable. Extra wide VSWR bandwidth. End fed with broadband matching unit.

Sleek and low-profile Low 2.5 sq. ft. wind surface area. Small area required for mounting. Mounts easily on decks, roofs and patios.

Full legal limit Handles 1500 Watts key down continuous for two minutes. Built-to-last

High wind survival of 80 mph. Broadband matching unit made from all Teflon^R insulated wire. Aircraft quality aluminum tubing, stainless steel hardware.

hy-gain^R warranty Two year limited warranty. All replacement parts in stock.

AV-640, \$359.95. (6.10.12. 15,17,20,30,40 Meters). 25.5 ft., 17.5 lbs. The AV-640 uses quarter wave stubs on 6, 10, 12 and 17 meters and efficient end loading coil and capacity hats on 15, 20, 30 and 40 meters -- no traps. Resonators are placed in parallel not in series. End loading of the lower HF bands allows efficient operation with a manageable antenna height.

AV-620, \$269.95. (6,10,12,15,17,20 Meters). 22.5 ft., 10.5 lbs. The AV-620 covers all bands 6 through 20

Meters with no traps, no coils, no radials yielding an uncompromised signal across all bands.

AV-640

Free Hy-Gain Cataloa

and Nearest Dealer . . . 800-973-6572 Call your dealer for your best price!


Antennas, Rotators & Towers 308 Industrial Park Road, Starkville, MS 39759 USA Toll-free Customer Sales Hotline: 800-973-6572 • TECH: 662-323-9538 • FAX: 662-323-6551 http://www.hy-gain.com

PALSTAR

Quality You Can Trust! Made in USA

HIGH QUALITY TUNERS

unbalanced tuners up to 1500 watt PEP balanced tuners up to 1500 watt PEP dual function unbalanced/balanced output tuners added stability with heavy gauge aluminium construction classic Vernier dial plates for more accurate settings designed and made in the USA





VWW.PALSTAR.CO

"...one of the best tuners I've owned in 43 years..."



Palstar, Inc. 9676 North Looney Road Pigua, OH 45356 937-773-6255

W7FG True Ladder Line

402731 West 2155 Drive, Bartlesville, OK 74006 www.w7fg.com • w7fg@w7fg.com Order Line: 800-807-6146

True Ladder Line

- Nominal Impedance 600 Ohms
- Spreaders Light weight, low wind loading, long life
- Wire 16 Gauge, 26 Strands, 100% Copper

50 Feet (Minimum Order)	\$23*
100 Feet	\$40*
Over 200 Feet	-Mail



Wire Antennas with Ladder Line

- Wire 16 Gauge, 26 Strands, 100% Copper
- One conductor from equipment to far end antenna insulators
- No splices, no solder, no terminal lugs
- Center and end insulators are same material as Ladder Line spreaders
- We will build to your specifications. Call or e-mail for a quote

160 - 10 Meter Doublet (Dipole) (240 Feet with 50 Feet of Feed Line	.\$57*
80 - 10 Meter Doublet (Dipole) (125 Feet) with 50 Feet of Feed Line	
40 - 10 Meter Doublet (Dipole) (65 Feet) with 50 Feet of Feed Line	



G5RV 80 - 10 Meters (102 Feet)


With 31 Feet of Ladder Line....\$35*

(Requires coax from supplied UHF male connector to equipment.)

Please note that all of our antenna products are assembled by members of Help Works, Inc, of Pawhuska, OK. They are an agency that employs adults with developmental disabilities.

* Prices shown are valid at date of publication. Please visit our site or call for verification.

A picture is worth a thousand words...



With the all-new

ANTENNA MODEL

wire antenna analysis program for Windows you get true 3D far field patterns that are far more informative than conventional 2D patterns or wire-frame pseudo-3D patterns.

Describe the antenna to the program in an easyto-use spreadsheet-style format, and then with one mouse-click the program shows you the antenna pattern, front/back ratio, front/rear ratio, input impedance, efficiency, SWR, and more.

An optional Symbols window with formula evaluation capability can do your computations for you. A Match Wizard designs Gamma, T, or Hairpin matches for Yagi antennas. A Clamp **Wizard** calculates the equivalent diameter of Yagi element clamps. A **Yagi Optimizer** finds Yagi dimensions that satisfy performance objectives you specify. Major antenna properties can be graphed as a function of frequency.

There is no built-in segment limit. Your models can be as large and complicated as your system

ANTENNA MODEL is only \$85US. This includes a Web site download and a permanent backup copy on CD-ROM. Visit our Web site for more information about ANTENNA MODEL.

> **Teri Software** P.O. Box 277 Lincoln, TX 78948

www.antennamodel.com

e-mail sales@antennamodel.com phone 979-542-7952

Need a Match?

Performance engineering and over 30 years of experience is a great match! At SGC, we build next generation HF radios, antennas, couplers, and amplifiers. Our focus is on exceptional performance in competitively priced, rugged, easy to use equipment. Match your needs with SGC!

Smartuners[™]

Starting with the popular SG-230, our entire family of Smartuners is capable of matching virtually any antenna to any radio. With fast automatic tuning, built-in memory, and 1.8 to 60 Mhz frequency coverage, Smartuners set the standard.



EALTH Kit

Be stealthy, be portable, or just be ready for any emergency. The SGC STEALTH Kit combines a frequency agile SG-237 Smartuner with wire and accessories to erect a variety of antennas capable of operating from 1.8 to 60 Mhz. When you absolutely must be on the air, the STEALTH kit makes it possible.



Making your Smartuner mobile is simple with the SGC Quick Mount System. QMS systems put the Smartuner outside the vehicle, away from ignition noise and directly at the base of the antenna system for optimum operation. Overall efficiency is improved and there are no holes in your vehicle body. Installation is simple and fool proof, requiring only a few minutes.

Antennas

SGC designs wide band antennas for portable, mobile, marine or fixed installations. Our antennas are perfectly matched to the flexibility and frequency agility of our Smartuner line of antenna couplers. Changing bands, changing channels, or just changing conditions are not a problem!



MAC-200

Select and tune 5 antennas automatically from the Master Antenna Controller. The MAC-200 provides a single point of control with built-in intelligence that knows what antenna you like to use in each frequency band. It automatically selects and tunes the appropriate antenna while providing power and VSWR for your use.





Your HF Solution!

SGC Building, 13737 SE 26th Street, Bellevue, WA 98005 USA 425-746-6310 Email: sgc@sgcworld.com Web: www.sgcworld.com

SAVE BIG ON ANTENNAS, TOWERS & CABLE

TELESCOPING ALUMINUM TUBING	CUSHCRAFT ANTENNAS	FORCE 12-MULTIBAND	TRYLON "TITAN" TOWERS
DRAWN 6063-T832 1.250"\$1.55/ft	13B2/A148-10S\$149/85	C3 10/12/15/17/20m, 7 el \$599	SELF-SUPPORTING STEEL TOWERS
.375\$.70/ft 1.375"\$1.75/ft	A270-6S/A270-10S\$79/99	C3E 10/12/15/17/20m, 8 el \$649	T200-64 64', 15 square feet \$1099
.500"\$.80/ft 1.500" \$1.95/ft	A3S/A4S\$449/539	C3S 10/12/15/17/20m, 6 el \$539	T200-72 72', 15 square feet \$1299
.625" \$.90/ft 1.625" \$2.25/ft	A50-3S/5S/6S\$95/169/249	C3SS 10/12/15/17/20m, 6 el \$559	T200-80 80', 15 square feet \$1499
.750"\$1.00/ft 1.750" \$2.50/ft	A6270-13S\$189	C4 10/12/15/17/20/40m, 8 el \$759	T200-88 88', 15 square feet \$1769
.875"\$1.10/ft 1.875" \$2.75/ft	AR2/ARX2B\$49/69	C4S 10/12/15/17/20/40m, 7 el \$679	T200-96 96', 15 square feet \$2049
1.000"\$1.20/ft 2.000" \$3.00/ft	AR270/AR270B\$85/99	C4SXL 10/12/15/17/20/40m, 8 el \$979	T300-88 88', 22 square feet \$1989
1.125"\$1.35/ft 2.125"\$3.50 /ft	R6000/R8\$319/449	C4XL 10/12/15/17/20/40m, 9 el\$1119	T400-80 80', 34 square feet \$1899
In 6' or 12' lengths, 6' lengths ship	X7/X740\$679/289	C19XR 10/15/20m, 11 el \$959	T500-72 72', 45 square feet \$1799
UPS. Call for 3/16"& 1/4" rod, bar	XM240\$719	C31XR 10/15/20m, 14 el \$1299	T600-64 64', 60 square feet \$1699
stock, and extruded tubing.	Please call for more Cush craft items	Please call for more Force 12 items	Many more Trylon towers in stock!
BENCHER / BUTTERNUT	MO VUE /HUE ANTENNAC	ROHN TOWER	IIC TOWED
	M2 VHF/UHF ANTENNAS		US TOWER
Skyhawk, Triband Beam\$1129	144–148 MHz	25G/45G/55G\$89/189/239	MA40/MA550\$849/1399
HF2V, 2 Band Vertical\$249	2M4/2M7/2M9\$95/109/129	25AG2/3/4\$109/109/119	MA770/MA850\$2359/3649
HF5B, 5 Band Minibeam\$359	2M12/2M5WL\$165/209	45AG2/4\$209/225	TMM433SS/HD\$1139/1379
HF6VX, 6 Band Vertical\$339	2M5-440XP, 2m/70cm\$179	AS25G/AS455G\$39/89	TMM541SS\$1499
HF9VX, 9 Band Vertical\$369	420–450 MHz	BPC25G/45G/55G\$75/99/110	TX438/TX455\$979/1579
A1712, 12/17m Kit\$54 CPK, Counterpoise Kit\$129	440-470-5W/420-450-11\$139/95	BPL25G/45G/55G \$85/109/125 GA25GD/45/55 \$68/89/115	TX472/TX489\$2459/4579
RMKII, Roof Mount Kit\$129	432-9WL/432-13WLA\$179/239 440-18/440-21ATV\$129/149	GAR30/GAS604\$35/24	HDX538/HDX555\$1269/2269 HDX572MDPL\$5899
STRII, Roof Radial Kit\$159	Satellite Antennas	SB25G/45/55\$39/89/109	Please call for help selecting a US
TBR160S, 160m Kit\$129	2MCP14/2MCP22\$169/239	TB3/TB4\$85/99	Tower for your needs. Shipped fac-
More Bencher/Butternut-call	436CP30/436CP42UG\$239/279	Please call for more Rohn prices	tory direct to save you money!
More Bencher/Butternut-can	·	ricuse dun for more from prices	
COMET ANTENNAS	M2 ANTENNAS	GLEN MARTIN ENGINEERING	UNIVERSAL ALUMINUM TOWERS
GP15, 6m/2m/70cm Vertical\$149	50-54 MHz	Hazer Elevators for 25G	4 -40'/50'/60'\$539/769/1089
GP6, 2m/70cm Vertical\$139	6M5X/6M7JHV\$209/269	H2, Aluminum Hazer, 12 sq ft.\$359	7 -50'/60'/70'\$979/1429/1869
GP9, 2m/70cm Vertical\$179	6M2WLC/6M9KHW \$459/499	H3, Aluminum Hazer, 8 sq ft\$269	9 -40'/50'/60' \$759/1089/1529
B10NMO, 2m/70cm Mobile\$36		H4, HD Steel Hazer, 16 sq ft\$339	12- 30'/40' \$579/899
SB14, 6m/2m/70cm Mobile \$59	10/12/15/17/20m HF		15 -40'/50'\$1019/1449
SBB224NMO,2m/220/70cm \$69	10M4DX, 4 Element 10m\$399	Aluminum Roof Towers	23 -30'/40'\$899/1339
SBB2NMO, 2m/70cm Mobile\$39	12M4DX, 4 Element 12m \$399	RT424, 4 Foot, 6 sq ft\$159	35 -30'/40'\$1019/1569
SBB5NMO, 2m/70cm Mobile\$55	15M4DX, 4 Element 15m \$449	RT832, 8 Foot, 8 sq ft\$239	Bold in part number shows wind-
SBB7NMO, 2m/70cm Mobile\$75	17M3DX, 3 Element 17m \$399	RT936, 9 Foot, 18 sq ft\$389	load capacity. Please call for more
UHV4/UHV6\$109/135	20M4DX, 4 Element 20m \$529	RT1832, 17 Foot, 12 sq ft\$519	Universal models. All are shipped
Much more Comet in stock-call	More M2 models in stock-please call	RT2632, 26 Foot, 9 sq ft\$869	factory direct to save you money!
DIAMOND ANTENNAS	MEJ	COAX CABLE	TOWER HARDWARE
D130J/DPGH62\$79/139	259B\$219	RG-213/U, (#8267 Equiv.) \$.36/ft	3/8"EE / EJ Turnbuckle\$11/12
F22A/F23A\$89/119	269\$299	RG-8X, Mini RG-8 Foam \$.19/ft	1/2"x9"EE / EJ Turnbuckle \$16/17
NR72BNMO/NR73BNMO\$39/54	941E\$109	RG-213/U JumpersPlease Call	1/2"x12"EE / EJ Turnbuckle . \$18/19
NR770HBNMO/NR770RA\$55/49	945E\$99	RG-8X JumpersPle ase Call	3/16" / 1/4" Big Grips\$5/6
X200A, 2m/70cm Vertical \$129	949E\$139	Please call for more coax/connectors	Please call for more hardware items
X500HNA/X700HNA\$229/369	969\$169		
X510MA/510NA\$189/189	986\$289	TIMES MICROWAVE LMR® COAX	HIGH CARBON STEEL MASTS
X50A/V2000A\$99/149	989C\$309	LMR-400\$.59/ft	5 FT x .12"/.18" / 10 FT x .25"\$35/59/169
CR627B/SG2000HD\$99/79	1798, 80-2m Vertical \$249	LMR-400 Ultraflex\$.89/ft	10 FT x .18" / 11 FT x .12"\$129/80 16 FT x .18" / 17 FT x .12"\$179/129
SG7500NMO/SG7900A \$75/112	1796, 40/20/15/10/6/2m Vert \$189	LMR-600\$1.19/ft	20 FT x .25" / 21 FT x .18"\$315/235
More Diamond antennas in stock	Big MFJ inventory-please call	LMR600 Ultraflex \$1.95/ft	22 FT x .12" / 24 FT x .25"\$149/379
GAP ANTENNAS	LAKEVIEW HAMSTICKS	ANTENNA ROTATORS	PHILYSTRAN GUY CABLE
Challenger DX\$289	91066m 911515m 913030m	M2 OR-2800P\$1249	
Challenger Counterpoise\$289	911010m 911717m 914040m	Yaesu G-450A\$249	HPTG1200I\$.45/ft HPTG2100I\$.59/ft
Challenger Guy Kit\$19	911212m 912020m 917575m	Yaesu G-800SA/DXA\$329/409	PLP2738 Big Grip (2100)\$6.00
Eagle DX\$299	All handle 600W, 7' approximate	Yaesu G-1000DXA\$329/409	HPTG4000I\$8.9/ft
Eagle Guy Kit\$29	length, 2:1 typical VSWR\$24.95	Yaesu G-2800SDX\$1089	PLP2739 Big Grip (4000)\$8.50
Titan DX\$329	, , , , , , , , , , , , , , , , , , , ,	Yaesu G-550/G-5500\$299/599	HPTG6700I\$1.29/ft
Titan Guy Kit\$29	HUSTLER ANTENNAS	ιασσα α σσογα σσοσφ2σ9/σ99	PLP2755 Big Grip (6700) \$12.00
Voyager DX\$409	4BTV/5BTV/6BTV\$129/169/199	ROTATOR CABLE	HPTG11200\$1.89/ft
Voyager Counterpoise\$49	G6-270R, 2m/70cm Vertical\$169	R62 (#18)\$.32/ft.	PLP2758 Big Grip (11200) \$18.00
Voyager Guy Kit\$45	G6-144B/G7-144B\$109/179	R81/82 \$.25/ft./.39/ft.	Please call for more info or help
Please Call for Delivery Information	Hustler Resonators in stock-call	R84\$.85/ft	selecting the Phillystran size you
, , , , , , , , , , , , , , , , , , , ,			, , , , , , , , , , , , , , , , , , , ,

WEEKDAY HOURS: 9 AM-5 PM CST

SATURDAY HOURS: 9 AM-12 NOON CST **TEXAS TOWERS**

A Division of Texas RF Distributors, Inc. • 1108 Summit Avenue, Suite #4 • Plano, TX 7507


CREDIT CARDS: M/C, VISA, DISCOVER **(800) 272-3467**

LOCAL CALLS: (972) 422-7306

EMAIL ADDRESS: sales@texastowers.com

INTERNET ADDRESS: www.texastowers.com

Antennas to Build— Ideas to Experiment With



Hang 'em high or hang 'em low, wires are the best antennas to use to get on the air simply and inexpensively. Experience the satisfaction of building your own wire antennas.

Now you can enjoy a collection of the best antenna articles from ARRL publications. Inside these books, you'll find more than just creative ideas. Each is filled with innovative designs that work!

- Dipoles
- Loops
- Collinears
- Wire Beams
- Vertically Polarized
- Multiband Antennas and more...

- 2 Volumes! ·

Vol 1: ARRL's Wire Antenna Classics ARRL Order No. 7075

Vol 2: *More* Wire Antenna Classics ARRL Order No. 7709

Available from ARRL and dealers everywhere!



ARRL The national association for ARRL AMATEUR RADIO

225 Main Street Newington, CT 06111-1494 USA

AB 9/2003

Build a Better Antenna with DX Engineering!

- Boom to element brackets, boom to mast and boom to element plates and clamps, and Radio Support Blocks
- Boom support systems
- DX Engineering high power baluns
- Hustler HF/VHF mobile antennas and accessories
- Technical articles, downloads, links, and customer antenna showcase
- Yagi mechanical design software

Don't compromise on your antenna—build it with quality parts from DX Engineering.







































More items being developed continuously check our website often!

 $oxed{800.777.0703}$

Use our 800 number or our secure website to place orders. Use our website to check for specials and tech tips! Foreign orders and Product Support: **330.572.3200** 24 hour/7 day Fax: **1-330-572-3279**

Hi-Q-Antennas[™] by W6HIQ (VE7BOC, HA5CMG)


Visit our web site for full specs, photo gallery, installation manuals, discussion board, secure shopping cart and more: http://www.higantennas.com

Looking for the <u>BEST</u> HF Mobile Antenna?

Then you've come to the right place. The Hi-Q-Antennas™ design is NOT a cheap copy of the original Don Johnson screwdriver antenna. Our patented design (US 6,275.195 B1 and US 6,496.154 B2) provides the Most Radiation Efficient and Best Quality HF Mobile antenna EVER designed and manufactured.

Compare Quality and Performance! Why buy our competitor's CONTRAPTION when you can have the BEST? Our state-of-the-art, 6th generation design gets its Hi-Q, Hi-Radiation efficiency through computer design and Mil-Spec materials used in manufacturing. The loading coil is housed in custom extruded G.E. Lexan (Polycarbonate tubing) with extra doses of UV protection and bronze coloring. Coil wire is #12 gauge to take amplifier power, up to Full Legal Limit.

No moving parts outside. No length changes! The contactor (RF coupler) travels within the sealed coil housing, kept out of the harsh environment. Silver plated Beryllium copper finger stock is in contact with two turns of the coil, 360 degrees, at all times. The RF De-Coupler contacts the silver plated brass tubing that is activated by a stainless steel all-thread for tuning.



The Hi-Q-Antennas™ **Mission Statement:**

Force the competitors to produce a better quality and better performing antenna by LEADING the WAY!

For an in-depth comparison between the Hi-Q-Antennas design and less-efficient screwdriver-type designs, visit our web site.

See web site for the full line of HF Mobile Antennas, including these industry-leading innovations:

- √ Hi-Q-5/80 with 5 inch coil for the Highest Q on 80 meters.
- √ Hi-Q-2.5/80-XTL which replaces the Yaesu ATAS-100 & 120.
- √ Hi-Q-3/80 SS All Stainless Steel for harsh environments.
- ✓ Tune-A-Dipole compact 10-80m Rotatable Dipole, only 7 lbs.





Hi-Q-Antennas™ by W6HIQ (VE7BOC, HA5CMG)

21085 Cielo Vista Way - Wildomar, CA 92595 USA Phone: 909-674-4862 FAX: 909-245-2031 sales@higantennas.com • http://www.higantennas.com

Price will be long forgotten while the Quality REMAINS!



Innovative Design... Solid Engineering... Modern Techniques...

Experience the difference!

2D-10 through 2D-40 FULL-SIZE 10-40 meter beams

FULL-SIZE 2-Driven Element Rotatable Arrays for any band, 10 through 40 Meters

Gain comparable to a 2-element parasitic; front to rear comparable to a **3-element parasitic**. Pattern advantage over typical, shortened linear-loaded parasitics is even greater. Rated 3KW, CCS; Wind, 100MPH; UPS shippable

FULL-SIZE Rotatable Dipoles for any band, 10 through 40 Meters

Noticeably quieter than verticals or inverted-vees. Greater bandwidth than loaded, shortened dipoles. Rated 3KW, CCS; Wind, 100 MPH; UPS shippable

High-performance CompactTransmitting Loops for 30 through 160 Meters

When properly installed over ground plane, will provide performance comparable to a full-size "FCC" vertical, (i.e. ¼ wave radiator, 120 radials of 0.4 wavelength) for DX. These are low-profile antennas. The highest part of an 80-meter loop, for example, can be as low as only 10 ft. above ground. Power ratings to 3KW, CCS. Consult factory.

Balanced, Line-loaded Vertical Radiators for 30 through 160 Meters

High efficiency balanced vertical radiators for limited space. Operate with or without a ground plane, with or without guying, depending on installation requirements. To 3KW.

Custom & Special designs for amateur and commercial applications

Aircraft, vehicular, and ground; VHF, UHF; consult factory.

Baluns, lightning diverters, antenna components, and accessories

Wide band, high power baluns, custom and standard antenna components available.

For pricing, pictures, specifications, and patterns of our latest offerings, please see us at: www.cal-av.com CAL-AV antennas and baluns also available through Array Solutions, www.arraysolutions.com

QUALITY & VALUE SINCE 1959











www.cal-av.com

info@cal-av.com 1-520-624-1300, 1-520-624-1311 fax 1-888-815-0400 orders only

2440 N. Coyote Drive, Suite 116 Tucson, AZ 85745

The Fixed Length Yagi Has Its Place... In History!



Microprocessor based controller automatically adjusts the antenna from the shack!



Inside view of the patented SteppIRTM technology

SteppIR Antennas - The Future in Yagi Technology

- 20m, 17m, 15m, 12m, 10m, 6m coverage and every frequency in between!
- Always the correct length; Each element length is automatically adjusted from the ham shack with an included microprocessor based controller (6"w x 3" h x 2.5" d)
- Available as a dipole, 2 element, 3 element and 4 element Yagi
- 1/4 wave end fed vertical version also available, with 40m thru 6m frequency coverage
- Antenna is optimized at every point within specified frequency range with nearly 1:1 SWR!
- NO equal in gain or front-to-back performance
- Computer optimized / field tested Yagi designs on all frequencies
- Very efficient; Low conductor losses (-0.17 dB); Performs as predicted by YO and EZ-NEC within 0.25 to 0.50 dB
- EXTREMELY reliable; Life tested to over 2 million band changes without failure
- Fixed element spacing represents very little compromise because the elements are adjusted to optimize length at every frequency
- "Create Antenna" mode allows you to model and create your own Yagi designs and save them into memory
- Switch directions in 2.5 seconds or less with 180 degree mode, greatly reduces rotating time and wear; Outstanding for short path / long path operation
- All materials are corrosion resistant and designed for long term, all weather applications
- The telescoping fiberglass supports do not move; the copper beryllium elements change length on the <u>inside</u> of the supports
- Elements easily retract inside antenna housing, for added protection during ice storms, high winds or lightning

SteppIR Antenna Systems Seattle, Washington USA

Tel: 425.456.0200 Fax: 425.391.6031 40 Meter Yagi Coming Soon!

www.steppir.com

E-Mail: sales@steppir.com

Stackable Aluminum Tubing

US Military surplus 48 in. X 1.785 in. with 0.11 in. wall

Use for:

Vertical Antennas Antenna Support Masts Yagi Boom Tent & Flag Poles

Telescopic Fiberglass Poles

New Heavy Duty Poles, 19 to 28 ft. Stackable to 40+ ft.

Much Stronger Than Others!

The Mast Company www.TMastCo.com

ADVANCED ANTENNA ANALYSTs™



The VA1 does more than others!

VA1 RX Analyst 0.5 to 32 MHz **\$199.95 + S/H**

- Freq SWR True Impedance
- Series & Parallel R & X Sign of X
- Series L & C Phase (deg)
- Much more. Check out our Web page!
 Don't be misled by others which claim to measure X but don't read sign of X, and can't even tell a capacitor from a coil! The VA1 instantly shows sign, and is not limited to 50 ohm line.



RF1 RF Analyst

1.2 to 35 MHz Frequency. SWR. True Impedance. L&C. Advanced, but low priced \$139.95 + S/H



RF5 VHF Analyst

35 to 75 MHz & 138 to 500 MHz. Similar to RF1 but no direct L/C. Finds lowest SWR automatically. \$229.95 + S/H

Each Analyst has a low power "transmitter" to go anywhere in its range – even outside ham bands. Use any to measure SWR curves, feedline loss, impedance, baluns, electrical length (e.g. 1/4 wave lines.) Take one right to the antenna or measure at the transmitter end of the line. Accurately adjust Yagis, quads, slopers, dipoles, phased arrays, matching networks, radials, and so much more. Adjust tuner without transmitting. The RF1 measures "lumped" L and C directly, while the VA1's phase detector can separate out R and X (L/C) separately; you're not "half blind" by knowing only SWR or unsigned X. Each is microprocessor-based & palm sized, only about 8 oz. –about the size of the battery pack in others! Each uses a single 9V standard battery.

DELUXE SWR & WATTMETER



MODEL WM1 COMPUTING SWR REMOTE RF HEAD TRUE PEP & AVERAGE

NEW – Illuminated Meters Compare at \$200+ \$149.95 + S/H

Our WM1 gives you exactly what you want – SWR ON ONE METER AND POWER ON THE OTHER. Automatically computes SWR. SWR doesn't change with power. No more squinting at crossed needles. NO ADJUSTMENTS. It even reads SWR in PEP on SSB. 4 ft. cable to head avoids "meter pulloff," 5% F5 1-30 MHz, usable on 6M. 2KW, 200, and 20 W scales with 5W center for QRP. 8-18 VDC or 115 VAC. 6-3/8 x 3-3/4 x 3"d. (See excellent review Nov. 1989 QST.) Why use an inferior meter? Get yours today!

AUTEK RESEARCH


P.O. Box 7556

Wesley Chapel, FL 33544 813-994-2199

Order only direct with check, mo, MC, VISA Add \$8 S/H in 48 states. Add tax in FL. Speedy insured shipment worldwide. Checkout our Web site or call for shipping outside 48 states.

For much more info and combo discounts, check in at:


www.autekresearch.com





- Antennas, Baluns, Vertical phasing, Stack Phasing controllers
- Towers, Big Bertha rotating mono-poles and fixed poles
- Antenna relay switches, Custom switching designs
- Filters, bandpass, high pass, low/pass, MARS, auto switching
- Contesting & DXing products and systems
- VSWR & RF Power meters
- Lightning and grounding systems
- Low band antennas, preamps, transformers
- Rotators and high strength antenna masts
- Antenna modeling software for mechanical and performance

Visit www.arrayso or call 972 203 2008





Hang your next wire antenna with the

HANG KIT!



Comes with everything you need:


- The original EZ Hang
- The EZ Winder
- A spare set of bands and seven extra weights.

EZ HANG

Code AB

8645 Tower Dr, Laurel, MD 20723 Phone: 540-286-0176

www.ezhang.com



ZAP CHECKER MODEL 270

WIRELESS INSTALLATION METER

EFFICIENT

- Detects & locates RFI
- Discovers hot & cold spots
- Measures Baseline RF levels
- Identifies hacker-site locations
- Optimize network hub placement

SENSITIVITY - VERY HIGH Measures to ambient, baseline RF levels

BROADBAND - 10 MHz - 4.5 GHz Ideal for 2.4, 1.8, 1.2, 0.9, 0.45 GHz installations

3 DETECTION MODES

LINEAR - For detection from a distance LOG - To view baseline to high signal levels MID - To sort through multiple signal sources

METER & LED DISPLAYS, VIBRATE MODE Distant & nighttime detection with analog readings

SELECTABLE ANTENNA OPTIONS

- SMA COAXIAL INPUT For antenna pointing & positioning and for measuring Xmtr/Rcvr signal strengths
- 2 FIXED INTERNAL ANTENNAS No adjustments needed

alan broadband co.

\$329 with directional 1.8 - 6.4 GHz Log Periodic antenna

93 ARCH ST., REDWOOD CITY, CA 94062 (650) 369-9627 (888) 369-9627 FAX: (650) 369-3788

\$269 without antenna (+ \$7 S&H. CA Residents add 8.25% tax)

WWW.ZAPCHECKER.COM

ADVANCED SPECIALTIES INC.

New Jersey's Communications Store







Hi Tech FM Mobile **Dual Band**

Authorized Dealer

ALINCO * LARSEN * COMET * MALDOL * ADI * MFJ * UNIDEN LDG * MAHA * ANLI * RANGER * YAESU * PRYME



HF, 6M, 2M, 70 CM

AMATEUR RADIO - SCANNERS - BOOKS ANTENNAS - MOUNTS - FILTERS **ACCESSORIES & MORE**



FT-2800M 65W 2M Mobile



DJ-V5 Wideband 2M/70 CM FM Handheld

Closed Sunday & Monday Orders/Quotes 1-800-926-9HAM (201)-VHF-2067 114 Essex Street, Lodi, NJ 07644




VISA

Big Online Catalog at www.advancedspecialties.net





"Being the Original has its advantages."



ANTENNA MANUFACTURING COMPANY

VHF - UHF - HF Applications Special Models for Beams, Dipoles and Line Isolation Manufacturing Baluns and Accessories for over 40 years Ham - Commercial - Industrial - Government - Military

PO BOX 4215-BV


www.unadilla.com

XMATCH® Antenna Tuner

0 70

- SWR rated at power
- Outstanding efficiency
- Innovative patented circuit

INFO \$3.00



http://n4xm.myiglou.com

X M ATCH

7001 Briscoe Lane • Louisville, KY 40228

TOWER COMPANY, INC.

CGA Enterprises, Inc 13105 Blue Squirrel Ct Hudson, FL 34669 727-862-3325

Fax: 727-869-8445

E-mail: mail@cga-usa.com Call David KF4RQ Toll Free at 888-510-7373

ALL ALUMINUM **Towers**

Crank-up & Tilt-over

- Trailer towers
- Van mounted towers
- Motor home towers

Maintenance Free Lightweight Strong



Web site: www.cga-usa.com

UNIVERSAL RADIO - Quality Equipment Since 1942

■ Amateur Transceivers



Universal is your factory authorized sales and service center for major amateur lines including: Japan Radio Company, Icom, Yaesu, Kenwood and Alinco. Universal Radio has been in business over 60 years. Buy with confidence. If you are in Central Ohio please visit our fully operational showroom

■ Amateur Handi-Talkies

Universal carries all the best in amateur handheld communications equipment from: Icom, Kenwood, Yaesu-Vertex and Alinco.



Amateur Antennas & Accessories

Whether building a dipole or erecting a beam, check with Universal for all your antenna needs. Ama-



teur antennas from \$25 up are featured in our catalog. Brands carried include: Atoc, Comet, Cushcraft, Hustler, Alpha-Delta, Valor, MFJ, B&W, Van Gorden, Hygain, Diamond and Larsen. Universal carries a complete line of mobile, portable and base antennas.

HUGE FREE CATALOG

www.universal-radio.com



The Universal Catalog covers everything for the shortwave, amateur and scanner enthusiasts. This informative 100 page catalog is fully illustrated. The catalog is FREE by bookrate or \$3 by Priority mail. Our full catalog, and much more, is viewable at:

■ Receivers



Universal offers new and used receivers for every budget. Authorized dealer for: Drake, ICOM, Kenwood, JRC, Yaesu, Palstar, AOR, Sangean, Grundig, Sony and TEN-TEC (TEN-TEC RX-340 shown).

■ Books

● Shortwave Receivers Past & Present Third Ed. By F. Osterman Covers over 500 receivers, from 70 manufacturers, made in the last 50 years with new and used values, photos, specifications, availability and features. \$24.95 470 pages.



 Passport To Worldband Radio By L. Magne Graphic presentation of all SW broadcast stations Plus receiver reviews. A must have book. \$22.95

World Radio TV Handbook

All shortwave broadcast stations by country with schedules, addresses, power, etc.

Worldwide Aeronautical Frequency Directory By R. Evans. The definitive guide to commercial and military, shortwave and VHF/UHF aeronautical communications including ACARS. Second Ed. \$14.98

• Guide to Utility Station By J. Klingenfuss The best directory of non-broadcast stations on shortwave. Covers SSB, CW and RTTY modes. \$42.95

● A.R.R.L. Antenna Handbook

The classic reference on antennas for hams, and a favorite with SWL's too. With PC CD! \$39.95

● A.R.R.L. Amateur Radio Handbook

Still the ultimate amateur reference. ● Joe Carr's Receiving Antenna Handbook

Arguably the best book on high performance receive antennas for longwave through shortwave. \$19.95

● Joe Carr's Loop Antenna Handbook

Here is the low-down on all types of loop antennas for listening and amateur applications.

Buying a Used Shortwave Receiver

Photos and info on the top 100 most sought after portables and tabletops of the past 20 years. \$4.95 U.S. orders under \$100 ship for \$4.95, under \$500 for \$9.95.



Universal Radio, Inc. 6830 Americana Pkwy. Reynoldsburg, OH 43068 USA

- ➤ 800 431-3939 Orders (USA/Can.)
- ➤ 614 866-4267 Information
- **►** 614 866-2339
- Fax
- ➤ dx@universal-radio.com

www.w9iix.com

- Universal has been in business since 1942.
- Operational showroom
- Prices and specs. are subject to change
- Used equipment list
- available on request.
- We accept Visa.
- Discover & Mastercard.
- Returns are subject to
- a 15% restocking fee.



Standoffs and gin poles




Rotating standoff

steps









EQUIPMENT LTD.

Email: iix@w9iix.com 708-423-0605 fax: 708-423-1691



MM100 mobile mount



ALL BAND ANTENNAS

TRAP DIPOLES					
Model	Bands	Traps	Size	Price	
D-314	12/17/30	4	37'	\$110.95	
D-42	10/15/20/40	2	55'	\$89.95	
D-52	10/15/20/40/80	2	105'	\$94.95	
D-56	10/15/20/40/80	6	82'	\$149.95	
D-68	10/15/20/40/80/160	8 0	146'	\$194.95	

TRAP VERTICALS / "SLOPERS"* VS-42 10/15/20/40 \$79.95 VS-53 10/15/20/40/80 42 \$94.95

73'

\$119.95

- Can be used without radials *End fed
- * Feedline can be buried if desired *Permanent or portable use

ALL TRAP ANTENNAS are ready to use

• Coax fed • Factory assembled

VS-64 10/15/20/40/80/160 4

• Commercial quality • Handles 600

Watts • Comes complete with Deluxe Traps, Deluxe Center Connector, 14 gauge stranded antenna wire and end insulators • Automatic band switching • Tuner usually never required • For all transmitters, receivers and transceivers . For all class Amateurs . One feedline works all bands • Instructions included.

SINGLE BAND DIPOLES

Model	Band	Length	Kit Form Price	Assembled
D-10	10	16'	\$25.95	\$29.95
D-15	15	22'	\$26.95	\$30.95
D-20	20	33'	\$27.95	\$31.95
D-40	40	66'	\$31.95	\$35.95
D-80	80/75	130'	\$37.95	\$41.95
D-160	160	260'	\$50.95	\$54.95

Includes instructions • Deluxe Center Connector

- 14 gauge stranded antenna wire and end insulators

LIMITED SPACE DIPOLES

- Reduces overall length over 40% Coax fed "Shorteners" are enclosed, sealed, weatherproof and lightweight • Complete with Deluxe Center Connector, 14 gauge stranded antenna wire, end insulators. assembly instructions • Use as inverted V, or flat-top
- · Excellent for all class Amateurs

Model	Band	Length	Price
LS-40K	40	38'	\$58.95
LS-80K	80/75	69'	\$66.95
LS-160K	160	100'	\$68.95

Any single band or Trap antenna with PB-1 Balun instead of Deluxe Center Connector—add \$12.00 to antenna price. (For PB-1-C-add \$14.00)

PRO-BALUN PB-1 \$24.95

- 1:1 for dipoles, beams and slopers
- Handles full legal power
- Broadband 3 to 35 MHz
- Lightweight, sealed and waterproof
- Deluxe Connectors require NO soldering
- NO iumper wires
- · Minimize coax and harmonic radiation
- Accepts standard PL-259 connector 2" x 6.5" PRO-BALLIN PR-1-C

Current-type 1:1 radio • 3kW-1.5 to 55 MHz PRO-BALUN PB-4 4:1 Ratio \$25.95



ALL BAND-LIMITED SPACE ANTENNA

• Works ALL bands, 160-10 Meters • Sealed, weatherproof, lightweight shorteners utilize

NO-rust terminals • Perfect match for your antenna tuner with balanced line output • Handles full power • Works with all transmitters, transceivers, receivers, etc . Completely factory assembled, ready to install-NO adjustments necessary • Only 70 feet overall length • Perfect for ALL classes of Amateurs • Install as flat-top. sloper, inverted V, or almost any configuration •

Shorteners provide full 135 feet electrical length with only 70 feet physical length • Utilizes heavy 14 gauge stranded wire • INCLUDES 100 feet of 450- Ω feedline

MODEL AS-2 • \$64.95

COMBO SPECIAL – #AS-2-SP AS-2 – **All band** antenna with popular MFJ-949E antenna tuner only \$209.95 and get an 18" RG-8X interconnect cable **free**!



See your local dealer or order direct SHIPPING: Add 10% (min. \$6.00 within US; Canada: Add 15% (min \$8.00)



ORDERS ONLY: 1-800-728-7594 FREE BROCHURE & INFORMATION: tel: 423-913-1615 • fax: 423-913-2131

SPI-RO MFG, INC

PO Box 189, Jonesborough, TN 37659 On-line Catalog at: www.spiromfg.com



READY-MADE COAX ASSEMBI

CX P1318FC C05300000 IS, INC. 1318FX FLEXIBLE 50 OHM LOW LOSS DIF CXP1318FC

CABLE X-PERTS. INC 1-800-828-3340 www.CABLEXPERTS.COM CXP1318FN CO5300000 CXP1318FN

CABLE X-PERTS, INC. CXP213C

CABLE X - PERTS INC 1-800-828-3340 www.CABLEXPERTS.COM CXP008C CXP213C C05300000 CABLE X-PERTS, INC. CXP008C

CABLE X-PERTS INC CXP08XC

BRAIDED GROUND STRAP

● AMATEUR RADIO ● EMERGENCY SERVICES MARKETS SERVED

MARINE OMILITARY 0802.11

CXP1318FC

Connector: PL259 both ends.

Burial: Yes. U1 Resistant: Yes. Shields: 2 (100% bonded foil+95%TC Braid) V/P 84% Attenuation @ 100ft: 50MHz 0.9, 150MHz 1.6, 450MHz 2.8 Recommended frequencies: 50-450MHz.

CXP1318FN

Shields: **2** (100% bonded foil+95%TC Braid) V/P 84% Attenuation @ 100ft: 150MHz 1.6, 450MHz 2.8, 1500MHz 5.1 Connector: "N" Male both ends. Burial: Yes. UV Resistant: Yes.

Recommended frequencies: 150MHz & higher

CXP213C Connector: PL259 both ends.

Burial: **Yes.** UV Resistant: **Yes.** Shields: 1 (97%BC Braid) V/P 66% Attenuation @ 100ft: 10MHz 0.62, 30MHz 1.2

Recommended frequencies: 1-30MHz(High Power)

CXP008C

Connector: PL259 both ends

Burial: No. UV Resistant: Yes. Shields: 1 (95%BC Braid) V/P 78% Attenuation @ 100ft: 10MHz 0.51, 30MHz 0.9, 50MHz 1.2 Recommended frequencies: 1-50MHz.

CXP08XC Connector: PL259 both ends

Burial: No. UV Resistant: Yes. Shields: 1 (95%BC Braid) V/P 78% Attenuation @ 100ft: 10MHz 0.98, 30MHz 2.0 Recommended frequencies: 1-30MHz.

BRAIDED GROUND STRAP

Sizes: 1/2" or 1" wide Lengths: 11t, 31t, 5ft or 10ft. Ring terminals both ends. #8 (1/2" wide), #6 (1" wide).

ANAHEIM, CA

(Near Disneyland) 933 N. Euclid St., 92801 (714) 533-7373 (800) 854-6046

Janet, KL7MF, Mgr. anaheim@hamradio.com

BURBANK, CA

2416 W. Victory BI., 91506 (818) 842-1786 800) 854-6046 Èric, KA6IHT, Mgr. Victory Blvd. at Buena Vista mi. west I-5

burbank@hamradio.com

OAKLAND, CA 2210 Livingston St., 94606 (510) 534-5757

(800) 854-6046 Mark, WI7YN, Mgr. I-880 at 23rd Ave. ramp

oakland@hamradio.com SAN DIEGO, CA

5375 Kearny Villa Rd., 92123 (858) 560-4900 (800) 854-6046

Tom, KM6K, Mgr. Hwy. 163 & Claremont Mesa sandiego@hamradio.com

SUNNYVALE, CA

510 Lawrence Exp. #102

(408) 736-9496 (**800) 854-6046** Howard, KE6PWH, Mgr.

So. from Hwy. 101 sunnyvale@hamradio.com

NEW CASTLE, DE

(Near Philadelphia) 1509 N. Dupont Hwy., 19720 (302) 322-7092

(800) 644-4476 Rick, K3TL, Mgr.

RT.13 1/4 mi., So. I-295 delaware@hamradio.com

PORTLAND. OR

11705 S.W. Pacific Hwy. 97223

(503) 598-0555 (800) 854-6046 Leon, N7IXX, Mgr.

Tigard-99W exit from Hwy. 5 & 217 portland@hamradio.com

DENVER. CO

8400 E. Iliff Ave. #9, 80231 (303) 745-7373 (800) 444-9476 Joe, KDØGA, Mgr. John N5EHP, Mgr. denver@hamradio.com

PHOENIX, AZ

1939 W. Dunlap Ave., 85021 (602) 242-3515 (800) 444-9476

Gary, N7GJ, Mgr. 1 mi. east of I-17 phoenix@hamradio.com

ATLANTA, GA

6071 Buford Hwy., 30340 (770) 263-0700 (800) 444-7927 Mark, KJ4VO, Mgr.

Doraville, 1 mi. no. of I-285 atlanta@hamradio.com

WOODBRIDGE, VA

(Near Washington D.C.) 14803 Build America Dr. (703) 643-1063 (**800**) **444-4799**

Steve, N4SR, Mgr. Exit 161, I-95, So. to US 1 virninia@hamradio.com

SALEM, NH

(Near Boston) 224 N. Broadway, 03079 (603) 898-3750 (800) 444-0047 Chuck, N1UC, Mgr. Fxit 1 I-93: 28 mi. No. of Boston salem@hamradio.com

12 Store Buying Power!



DISCOVER THE POWER OF DSP WITH ICOM!



IC-756PROII All Mode Transceiver

- 160-6M* @ 100W
- 32 bit IF DSP+ 24 bit AD/DA converter
- Enhanced 5" color TFT with spectrum scope
- Selectable IF filter shapes for SSB & CW
- Enhanced RX performance
- SSB/CW syncronous tuning
- Multiple DSP controlled AGC loops
- Advanced CW functions
- Separate RX only antenna jack
- 101 alphanumeric memories
- Transverter I/O port
- Live band scope
- . Digital & analog meter
- Dual receive
- Digital voice recorder



PS-125 DC Power Supply

- 25 amps continuous
- 13.8 V DC
- Quieter RF operation

Smaller footprint - takes up less space, matches newer Icom rigs.



IC-746PRO All Mode Transceiver

- •160-2M* @ 100W
- 32 bit IF-DSP+ 24 bit AD/DA converter
- Selectable IF filter shapes for SSB & CW
- Improved 3rd order intercept point
- CW memory keyer
- Automatic antenna tuner
- Auto & manual notch
- Digital twin passband tuning
- · Built-in RTTY demodulator & decoder
- 102 alphanumeric memories
- · Enhanced RX performance
- 9600 baud packet capable
- RX audio equalizer
- SWR analyzer
- Sweeping scope



IC-718 HF Transceiver

- 160-10M* @ 100W
- 12V operation
- Band stacking register
- CW keyer built-in
- · One touch band switching
- Direct frequency input
- VOX built-in
- IF shift
- Preamp & attenuator
- Mic compressor
- Digital S/RF meter
- 101 memories
- · Adjustable noise blanker
- Auto tuning steps
- Optional DSP



SP-20 External Speaker

Equipped with four selectable audio filters. Can be connected to two transceivers.

SM-20 Desktop Mic

Provides high quality audio to the transceiver. Equipped with low frequency cut capability.



IC-PW1 1kW Linear Amplifier

- Remote control head
- 100% duty cycle
- Auto antenna tuner

Can be used with ANY brand of HF, 6M, or HF/6M transceiver.

10M restorable with FCC license.

*Except 60M. © 2003 Icom America Inc, The Icom logo is a registered trademark of Icom Inc. All specifications subject to change without notice or obligation. 6328

Glosed Sulf.

oll free, incl. Hawaii, Alaska, Canada; call rout
earest store; all HRO 800-lines can assist you
ne first line you call is busy, you may ca∎ anot

Northeast.....800-644-4476 New England..800-444-0047

Look for the **HRO Home Page** on the World Wide Web

AZ, CA, CO, GA, VA residents add sales tax. Prices, specifications. descriptions, subject to change

12 Store Buying Power!



GO MOBILE WITH ICOM!



IC-706MKIIG All Mode Transceiver

- 160-10M/6M/2M/70CM*
- HF/6M @ 100W, 2M @ 50W, 70CM @ 20W
- 107 alphanumeric memories
- CTCSS encode/decode w/tone scan
- AM, FM, WFM, SSB, CW, RTTY w/DSP
- Auto repeater
- · Plug-n-play filters
- · Backlit function keys
- · Built-in kever
- IF shift
- Tone squelch
- Remotable head (optional RMK-706 required)



AT-180 Automatic Antenna Tuner

HF/6M fully automatic tuner with 70 channel preset memories and "automatic tuner on" function when connected to the IC-706MKIIG.

Great for base as well as mobile installations! Tune your vertical beam or coax fed antenna from 160 Meters to 6 Meters*. A compact matching package for the IC-706MKIIG.



AH-4 Automatic Antenna Tuner

Specially designed to tune a long wire antenna for portable or mobile operation. Match a 7m + (23'+) long wire all HF bands 3.5 MHz and higher.

This tuner loves the great outdoors! Whether under your vehicle, or in a tree connected to a long wire, it's the perfect match for your IC-706MKIIG. It's compact, with watertight construction.



Designed by hams, for hams! Icom's MultiBag '703 carrier offers plenty of room to store and protect your gear while operating outdoors. Includes a rain cover and controlhead case that attaches to your belt.



Contents not included

ICOM



IC-703 HF QRP Transceiver

- HF & HF/6M versions
- 10W~0.1W @ 13.5V SSB, CW, RTTY, FM 4W~0.1W @ 13.5V AM
- Newly designed PA unit
- Internal antenna tuner
- Detachable control panel
- DSP with auto notch filter & noise reduction
- · Automatic battery save mode
- Automatic power scale meter
- Low current mode
- · High sensitivity

*Except 60M. © 2003 Icom America Inc, The Icom logo is a registered trademark of Icom Inc. All specifications subject to change without notice or obligation, 6329

West......800-854-6046 Mountain.....800-444-9476

Northeast.....800-644-44<u>7</u>6 New England..800-444-0047

Look for the **HRO Home Page** on the World Wide Web

AZ, CA, CO, GA, VA residents add sales tax. Prices, descriptions,

ANAHEIM, CA

(Near Disneyland) 933 N. Euclid St., 92801 (714) 533-7373 (800) 854-6046 Janet, KL7MF, Mgr.

BURBANK, CA

2416 W. Victory Bl., 91506 (818) 842-1786 (800) 854-6046 ric, KA6IHT, Mgr. Victory Blvd. at Buena Vista 1 mi west I-5

burbank@hamradio.com OAKLAND, CA

2210 Livingston St., 94606 (510) 534-5757 (**800) 854-6046** Mark, WI7YN, Mgr.

I-880 at 23rd Ave. ramp oakland@hamradio.com

SAN DIEGO, CA 5375 Kearny Villa Rd., 92123 (858) 560-4900 (800) 854-6046 Tom, KM6K, Mgr. Hwy. 163 & Claremont Mesa sandiego@hamradio.com

SUNNYVALE. CA

510 Lawrence Exp. #102 94085 (408) 736-9496 **(800) 854-6046** Howard, KE6PWH, Mgr. So. from Hwy. 101

sunnyvale@hamradio.com **NEW CASTLE, DE**

(Near Philadelphia) 1509 N. Dupont Hwy., 19720 (302) 322-7092 800) 644-4476 Rick, K3TL, Mgr. RT.13 1/4 mi., So. I-295 delaware@hamradio.com

PORTLAND, OR

11705 S.W. Pacific Hwy. 97223 (503) 598-0555 (800) 854-6046 Leon, N7IXX, Mgr. Tigard-99W exit from Hwy. 5 & 217
portland@hamradio.com

DENVER, CO 8400 E. Iliff Ave. #9, 80231 303) 745-7373 (800) 444-9476 Joe, KDØGA, Mgr. John N5EHP, Mar. denver@hamradio.com

PHOENIX, AZ

1939 W. Dunlap Ave., 85021 (602) 242-3515 (800) 444-9476 Gary, N7GJ, Mgr. 1 mi. east of I-17 phoenix@hamradio.com

ATLANTA, GA

6071 Buford Hwy., 30340 (770) 263-0700 800) 444-7927 Mark, KJ4VO, Mgr. Doraville, 1 mi. no. of I-285 atlanta@hamradio.com

WOODBRIDGE, VA (Near Washington D.C.)

14803 Build America Dr. 22191 (703) 643-1063 (**800**) **444-4799** Steve, N4SR, Mgr. Exit 161, I-95, So. to US 1 virginia@hamradio.com

SALEM, NH

(Near Boston) 224 N. Broadway, 03079 (603) 898-3750 (800) 444-0047 Chuck, N1UC, Mgr. Exit 1, I-93; 28 mi. No. of Boston salem@hamradio.com